

SAFETY DATA SHEET

Version #: 02
Issue date: 02-September-2021
Revision date: 04-December-2022
Supersedes date: 02-September-2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture AFE-CA GREASE

Registration number -

Synonyms None.

SDS number 1030-T21998-2

Product code AFE-CA+70, AFE-CA+400

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Industrial lubricating grease

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

THK Co.,LTD

HEAD OFFICE: 2-12-10, Shibaura, Minato-ku, Tokyo 108-8506 Japan

THK GmbH: Kaiserswerther Strasse 115, D-40880 Ratingen, Germany

Telephone +49-(0)2102-7425-555 (THK GmbH)

E-mail info-msds@thk.eu (THK GmbH), thk022@thk.co.jp (THK Co., LTD)

1.4. Emergency telephone number +49-(0) 2102-7425-222 at workday 8 am - 5 pm (THK GmbH)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Environmental hazards

Hazardous to the aquatic environment, long-term aquatic hazard Category 4

H413 - May cause long lasting harmful effects to aquatic life.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statements

Prevention

P273 Avoid release to the environment.

Response

None.

Storage

None.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information on the label

EUH208 - Contains Dihydro-3-(tetrapropenyl)furan-2,5-dione. May produce an allergic reaction.

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or greater than 0.1% by weight.

The mixture does not contain any substances having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
3,3'-Diocadecyl -1,1'-methylenebis (4,1-phenylene) diurea	20 - 30	43136-14-7 406-690-3		-	616-095-00-2
		Classification: Aquatic Chronic 4;H413			
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	0,5 - 1,5	68411-46-1 270-128-1		-	-
		Classification: Aquatic Chronic 3;H412			
Dihydro-3-(tetrapropenyl)furan-2,5-dione	0,3 - 0,7	26544-38-7 247-781-6		-	-
		Classification: Eye Irrit. 2;H319, Skin Sens. 1;H317, Aquatic Chronic 4;H413			

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. Components not listed are either non-hazardous or are below reportable limits. The exact concentrations of the above listed chemicals are being withheld as a trade secret. The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards

Will burn if involved in a fire.

5.1. Extinguishing media

Suitable extinguishing media

Extinguish with foam, carbon dioxide or dry powder.

Unsuitable extinguishing media

Do not use water or halogenated extinguishing media.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition may produce smoke, oxides of carbon and lower molecular weight organic compounds whose composition have not been characterised.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Use water spray to cool unopened containers. Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. In case of spills, beware of slippery floors and surfaces.

For emergency responders Keep unnecessary personnel away. Ensure adequate ventilation. Be aware of potential for surfaces to become slippery. Local authorities should be advised if significant spillages cannot be contained.

6.2. Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up The product is insoluble in water and will spread on the water surface. Prevent product from entering drains. Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other sections For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Avoid breathing mist/vapour. Avoid prolonged and repeated contact with grease, particularly used grease. Provide adequate ventilation. When working with heated grease, mechanical ventilation may be required. Wear appropriate personal protective equipment. Avoid release to the environment. Be aware of potential for surfaces to become slippery. Always remove grease with soap and water or skin cleaning agent, never use organic solvents. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

7.3. Specific end use(s) Industrial lubricating grease. Observe industrial sector guidance on best practices.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values

Components	Type	Value	Form
Mineral oil	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value
Mineral oil	TWA	5 mg/m3

Czech Republic. OELs. Government Decree 361

Components	Type	Value	Form
Mineral oil	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol

Denmark. Exposure Limit Values

Components	Type	Value	Form
Mineral oil	TLV	1 mg/m3	Mist.

Finland. Workplace Exposure Limits

Components	Type	Value	Form
Mineral oil	TWA	5 mg/m3	Mist.

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Type	Value	Form
Mineral oil	TWA	5 mg/m3	Respirable fraction.

Greece. OELs (Decree No. 90/1999, as amended)

Components	Type	Value	Form
Mineral oil	TWA	5 mg/m3	Mist.

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces

Components	Type	Value
Mineral oil	TWA	5 mg/m3

Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended

Components	Type	Value	Form
------------	------	-------	------

Mineral oil	TWA	1 mg/m3	Mist.
-------------	-----	---------	-------

Italy. OELs Components

Type	Value	Form
------	-------	------

Mineral oil	TWA	5 mg/m3	Inhalable fraction.
-------------	-----	---------	---------------------

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Components	Type	Value
------------	------	-------

Mineral oil	TWA	5 mg/m3
-------------	-----	---------

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements (Hygiene Norm HN 23:2007)

Components	Type	Value	Form
------------	------	-------	------

Mineral oil	STEL	3 mg/m3	Fume and mist.
-------------	------	---------	----------------

	TWA	1 mg/m3	Fume and mist.
--	-----	---------	----------------

Netherlands. OELs (binding) Components

Type	Value	Form
------	-------	------

Mineral oil	TWA	5 mg/m3	Mist.
-------------	-----	---------	-------

Norway. Administrative Norms for Contaminants in the Workplace Components

Type	Value	Form
------	-------	------

Mineral oil	TLV	1 mg/m3	Mist.
-------------	-----	---------	-------

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Components

Type	Value	Form
------	-------	------

Mineral oil	TWA	5 mg/m3	Inhalable fraction.
-------------	-----	---------	---------------------

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Components

Type	Value
------	-------

Mineral oil	STEL	10 mg/m3
-------------	------	----------

	TWA	5 mg/m3
--	-----	---------

Slovakia. OELs. Decree of the government of the Slovak Republic concerning protection of health in work with chemical agents Components

Type	Value	Form
------	-------	------

Mineral oil	TWA	1 mg/m3	Fume and mist.
-------------	-----	---------	----------------

		5 ppm	Fume and mist.
--	--	-------	----------------

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents Components

Type	Value	Form
------	-------	------

Mineral oil	STEL	3 mg/m3	Fume and mist.
-------------	------	---------	----------------

		15 ppm	Fume and mist.
--	--	--------	----------------

Spain. Occupational Exposure Limits Components

Type	Value	Form
------	-------	------

Mineral oil	STEL	10 mg/m3	Mist.
-------------	------	----------	-------

	TWA	5 mg/m3	Mist.
--	-----	---------	-------

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended Components

Type	Value	Form
------	-------	------

Mineral oil	STEL	3 mg/m3	Mist.
-------------	------	---------	-------

	TWA	1 mg/m3	Mist.
--	-----	---------	-------

Switzerland. SUVA Grenzwerte am Arbeitsplatz Components

Type	Value	Form
------	-------	------

Mineral oil	TWA	5 mg/m3	Inhalable fraction.
-------------	-----	---------	---------------------

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs)	Not available.
Predicted no effect concentrations (PNECs)	Not available.
8.2. Exposure controls	
Appropriate engineering controls	
Individual protection measures, such as personal protective equipment	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
General information	
Eye/face protection	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Skin protection	Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166.
- Hand protection	Wear appropriate chemical resistant gloves. Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same, but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement rules are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove manufacturer and model. Suitable gloves can be recommended by the glove supplier.
- Other	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Respiratory protection	In case of inadequate ventilation, when the product is heated, or risk of inhalation of oil mist, use suitable respiratory equipment with gas filter (type A2). Follow guidance on selection, use, care and maintenance in accordance with EN 529.
Thermal hazards	When material is heated, wear gloves to protect against thermal burns.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure controls	Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid.
Form	Paste.
Colour	Light brown.
Odour	Slight.
Melting point/freezing point	258 °C (496,4 °F)
Boiling point or initial boiling point and boiling range	Property has not been measured.
Flammability	Will burn if involved in a fire.
Upper/lower flammability or explosive limits	
Explosive limit - lower (%)	Property has not been measured.
Explosive limit – upper (%)	Property has not been measured.
Flash point	220 °C (428 °F) Setaflash
Auto-ignition temperature	Not applicable, material is a solid.
Decomposition temperature	Not applicable as the product is not unstable.
pH	Material is non soluble in water.
Kinematic viscosity	Not applicable, material is a solid.

Solubility
Solubility (water)

Insoluble.

**Partition coefficient
(n-octanol/water) (log value)**

Not applicable, product is a mixture.

Vapour pressure

Not applicable, material is a solid.

Density and/or relative density

Density

Property has not been measured.

Relative density

0,98

Vapour density

Not applicable, material is a solid.

Particle characteristics

Property has not been measured.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Evaporation rate

Not applicable, material is a solid.

Viscosity

Not applicable, material is a solid.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Material is stable under normal conditions.

10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

Heat, sparks, flames, elevated temperatures. Contact with incompatible materials.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information

Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation

Inhalation of oil mist or vapours formed during heating of the product will irritate the respiratory system and provoke coughing.

Skin contact

Prolonged skin contact may cause irritation.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion

Expected to be a low ingestion hazard.

Symptoms

Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

The harmful effects may increase when exposed to used grease.

Components

Species

Test Results

Dihydro-3-(tetrapropenyl)furan-2,5-dione (CAS 26544-38-7)

Acute

Dermal

LD50

Rabbit

> 5000 mg/kg

Oral

LD50

Rat

> 2000 mg/kg

Skin corrosion/irritation

Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye irritation

Due to partial or complete lack of data the classification is not possible.

Respiratory sensitisation

Due to partial or complete lack of data the classification is not possible.

Skin sensitisation

The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals in contact with skin.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to the physical form of the product it is not expected to be an aspiration hazard.
Mixture versus substance information	No information available.
11.2. Information on other hazards	
Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
Other information	None known.

SECTION 12: Ecological information

12.1. Toxicity	May cause long lasting harmful effects to aquatic life.
12.2. Persistence and degradability	None known.
12.3. Bioaccumulative potential	None known.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	The product is insoluble in water and will spread on the water surface.
12.5. Results of PBT and vPvB assessment	This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.
12.6. Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.
12.7. Other adverse effects	Greases are generally hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	20 01 26*
	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
Hazard No. (ADR)	Not assigned.
Tunnel restriction code	Not assigned.
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

RID

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

ADN

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

IATA

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Not assigned.

IMDG

14.1. UN number	Not regulated as dangerous goods.
14.2. UN proper shipping name	Not regulated as dangerous goods.
14.3. Transport hazard class(es)	
Class	Not assigned.
Subsidiary risk	-
14.4. Packing group	Not assigned.
14.5. Environmental hazards	
Marine pollutant	No.
EmS	Not assigned.
14.6. Special precautions for user	Not assigned.
14.7. Maritime transport in bulk according to IMO instruments	Not applicable.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended.

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

Ceiling: Short Term Exposure Limit Ceiling value.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

LD50: Lethal Dose, 50%.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit.

TLV: Threshold Limit Value.

TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

ECHA: European Chemical Agency.

EPA: AQUIRE database

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

References

Information on evaluation method leading to the classification of mixture

Full text of any statements, which are not written out in full under sections 2 to 15

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Follow training instructions when handling this material.

Training information

Issued by

THK Co.,LTD
HEAD OFFICE: 2-12-10, Shibaura, Minato-ku, Tokyo 108-8506
Japan

Disclaimer

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

Copyright © 2022 THK CO., LTD. All rights reserved.

